

Exercises

Program Analysis (CO70020)

Sheet 5

Exercise 1 Consider the following imperative language with statements of the form:

$$S ::= x := a \mid \mathbf{skip} \mid S_1 ; S_2 \mid \mathbf{if} \ b \ \mathbf{then} \ S_1 \ \mathbf{else} \ S_2 \mid \mathbf{while} \ b \ \mathbf{do} \ S \\ \mid \mathbf{choose} \ S_1 \mid S_2 \mid \dots \mid S_n \mid \mathbf{combine} \ S_1 \mid S_2 \mid \dots \mid S_n$$

In the **choose** statement only one of the $n \geq 1$ statements S_i is actually selected to be executed. The **combine** executes all of the n statements S_i in some sequence. In both statements the choices are made non-deterministically.

Define a Live Variable Analysis LV, similar to the one for the simple **while** language, for this extended language. Define an appropriate labelling for statements/blocks and give a definition for the flow flow (together with init and final).

Exercise 2 Consider the following expression from which labels have been stripped:

$$(\mathbf{let} \ g = (\mathbf{fn} \ f \Rightarrow (\mathbf{if} \ (f \ 3) \ \mathbf{then} \ 10 \ \mathbf{else} \ 5)) \\ \mathbf{in} \ (g \ (\mathbf{fn} \ y \Rightarrow (y > 2)) \))$$

Label the expression and give a brief and informal description of its execution: what does it evaluate to?

Write down the constraints for a 0-CFA and provide the least solution that satisfies the constraints.

Exercise 3 Consider the following extraction function for $n \in \mathbb{N}$:

$$\beta(n) = \begin{cases} \text{min bits to represent } n & \text{if } n < 2^8 \\ \mathbf{overflow} & \text{otherwise} \end{cases}$$

which allows for a Bit-Size analysis for “small” integers via Abstract Interpretation.

Describe the (abstract) property lattice and the concrete and abstract domain (incl. ordering and least upper bound operation). Furthermore, define the abstraction, α , and concretisation, γ , functions.

Construct formally the abstraction (in the sense of Abstract Interpretation) of the doubling and square function, i.e. $f^\#$ and $g^\#$ for

$$f(n) = 2 \times n \quad \text{and} \quad g(n) = n^2$$

Exercise 4 Consider a Sign Analysis for the imperative WHILE language. That is: We are interested in the **sign** of variables, i.e. whether we can guarantee that for a given program point and a variable x (at least) one of the following properties holds: $x = 0$, $x < 0$, $x > 0$, $x \leq 0$ and $x \geq 0$.

Define a representation function β for this Sign Analysis. How can one define the corresponding correctness relation R_β ? State formally what it means that the transfer functions f_ℓ for all labels are fulfilling the correctness condition.